

The Culbertson Group, P.C.

Intellectual Property Attorneys and Counselors

Phone: 512.327.8932
Fax: 512.327.2665

1114 Lost Creek Blvd.
Suite 420
Austin, TX 78746

CONFIDENTIAL TELECOPY MESSAGE

RECEIVED
CENTRAL FAX CENTER

MAY 05 2005

TO: Examiner Jacob M. Meek
Mail Stop AF, USPTO
FROM: Trevor Lind
RE: Application Serial No. 09/631,716
OUR FILE NO.: 956.1054

DATE: May 5, 2005
PAGES INCLUDING COVER: 10
FAX NO.: (703) 872-9306
IBM FILE NO.: AUS9-2000-0284-US1

MESSAGE:

**RE: SERIAL NO. 09/631,716
GROUP ART UNIT 2637**

**ATTACHED:
RESPONSE TO OFFICE ACTION MAILED MARCH 17, 2005**

**PLEASE DELIVER TO
EXAMINER JACOB M. MEEK**

IF THERE ARE ANY ADDITIONAL FEES DUE OR ANY UNDERPAYMENT OF FEES, THE DIRECTOR IS AUTHORIZED TO CHARGE ANY SUCH FEES TO DEPOSIT ACCOUNT NO. 09-0447 (Our File No. 956.1054).

Thank you!

CERTIFICATE OF FACSIMILE

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, (Fax No. (703) 872-9306) on May 5, 2005.

Trevor Lind, Reg. No. 54,785

PLEASE CALL (512) 327-8932 IF THE TELECOPY YOU RECEIVE IS INCOMPLETE OR ILLEGIBLE,
OR IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
PATENT
AUS9-2000-0284-US1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER

MAY 05 2005

In Re Application of:)
Roger Donell Weekly)
Serial No.: 09/631,716) Group Art Unit: 2637
Filed: August 3, 2000)
FOR: APPARATUS AND METHOD FOR)
SYNCHRONIZING CLOCK)
MODULATION WITH POWER)
SUPPLY MODULATION IN A)
SPREAD SPECTRUM CLOCK)
SYSTEM)
Examiner: Jacob M. Meek
Via Facsimile No. 703-872-9306

Mail Stop AF
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

RESPONSE TO FINAL OFFICE ACTION UNDER 37 C.F.R. §1.116

This paper is submitted in response to the Office Action mailed March 17, 2005, in the above-identified application, and is filed within the three-month shortened statutory period for response set forth in the Office Action.

Please amend the application as follows: